


RAY K. SHAH
ATTORNEY AT LAW



Registered Patent Attorney - Technology and Intellectual Property Matters
<http://www.attycubed.com>

Twin Oaks Office Plaza
477 Ninth Avenue, Suite 112
San Mateo, California 94402-1854

Telephone: (650) 348-1444
Facsimile: (650) 348-8655
e-mail: rks@attycubed.com

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
HALL ET AL.

Serial No.: 10/606,370

Filing Date: June 25, 2003

Attorney Docket No.: CLX-110
(426.04I)

Title: ADVANCED CLEANING
SYSTEM

Mail Stop: Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL

Date Mailed: September 30, 2005

Examiner: LE, Huyen

Group Art Unit: 3751

TRANSMITTAL

Dear Sir:

Enclosed please find the following documents related to the above-entitled patent application:

1. Copy of NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION: 1 page(s);
2. AMENDMENT AFTER NOTICE OF ALLOWANCE : 6 page(s);
3. 3 sets of 2 sheet(s) CORRECTED FORMAL DRAWINGS;
4. Return Receipt Postcard.

///

TRANSMITTAL
Filing Date: June 25, 2003
Mailing Date: September 30, 2005

Page 1 of 2

Title: **ADVANCED CLEANING SYSTEM**
Serial No.: 10/606,370
Attorney Docket No.: CLX-110 (426.04I)

Respectfully submitted,

RAY K. SHAHANI
ATTORNEY AT LAW

Dated: September 30, 2005

By: _____

Ray K. Shahani, Esq.

Attorney for Applicant(s)

Ray K. Shahani, Esq.

Registration No.: 37,554

Attorney at Law

Twin Oaks Office Plaza

477 Ninth Avenue, Suite 112

San Mateo, California 94402-1854

Telephone: (650) 348-1444 Facsimile: (650) 348-8655

E-mail: rks@attycubed.com

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents attached hereto are being deposited in a postage prepaid, sealed envelope with the United States Postal Service using First Class Mail service under 37-CFR 1.08 on the date indicated and is addressed to "Commissioner for Patents, Virginia 22313-1450". Signed: Ray K. Shahani Date Mailed: September 30, 2005

TRANSMITTAL

Filing Date: June 25, 2003


Mailing Date: September 30, 2005

Page 2 of 2

Title: **ADVANCED CLEANING SYSTEM**

Serial No.: 10/606,370

Attorney Docket No.: CLX-110 (426.041)



COPY

UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 6/25/03 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 8J are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures _____ are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division

Customer Service: 703-308-6789

1-888-786-0101

FORM PTO-1631 (REV. 10-03)